



# T-Maxx Parts List

With the TRX 2.5 Racing Engine

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Model 4910

REV 050722

### 2 Speed components

4889	Ball bearing (1)(10x19x5mm) .....	4.50
4992	Drive gear, two-speed (17/22-teeth)/ slipper shaft .....	6.00
4988	Drive hub assembly, clutch/ 6x8.5x0.5mm Teflon <sup>®</sup> washer (1) .....	16.00
4986	Gear hub assembly, 1st/ one-way bearing/ snap ring .....	22.00
4987	Rings, retainer (snap rings) (14mm) (2) .....	2.00
4985	Spur gear assembly, 38-T (2nd speed) .....	4.00
4984	Spur gear, 43-T (1st speed) .....	4.00
4897	Set (grub) screws, 4mm (6) (threadlocked) .....	3.00

### Air Filters

5260	Air filter housing/ foam insert/ straight base/ angled base/ cable tie (1-each) (TRX 2.5) .....	12.00
5261	Air filter inserts, foam (3) (pre-oiled) (TRX 2.5) .....	6.25
5263	Oil, air filter .....	4.99

### Bearings & Bushings

5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2) .....	4.00
5115	Ball bearings, blue rubber shield (5x10x4mm) (2) .....	3.50
5116	Ball bearings, blue rubber shield (5x11x4mm) (2) .....	3.50
5119	Ball bearings, blue rubber shield (10x15x4mm) (2) .....	7.00
5117	Ball bearings, blue rubber shield (6x12x4mm) (2) .....	4.00
4889	Ball bearing (10x19x5mm) (1) (2-speed) .....	4.50
4612	Ball bearings (10x15x4mm) (2) (differentials) .....	8.00
4609	Ball bearings (5x10x4mm) (2) (for opt. clutchbell) .....	8.00
4611	Ball bearings (5x11x4mm) (2) (clutch bell and trans) .....	6.00
2728	Ball bearings (5x8x2.5mm) (2) .....	8.00
4614	Ball bearings (6x12x4mm) (2) (driveline) .....	6.00
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4) .....	3.00

### Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool .....	2.00
1726	Antenna, tube (1)/ vinyl antenna cap (1) .....	1.00
3170	Battery holder, 4-cell/ on-off switch .....	5.00
1834	Body clips (12) (standard size) .....	2.00
3934	Body clips, Maxx series, heavy-duty (12) .....	3.00
4914	Body mount posts, front (2)/ body mount plate (f)/ body mount screw pins (6)/ body mount, rear .....	6.00
1815	Body washers (8) .....	2.00
4915	Body washers, foam adhesive (10) .....	2.00
4911	Body, T-Maxx (clear, requires painting) .....	20.00
4911X	Body, T-Maxx, ProGraphix™ (replacement for the painted "flames" body. Graphics are painted, requires paint & final color application.) .....	34.99
4911R	Body, T-Maxx, ProGraphix™ (replacement for the T-Maxx 2.5 painted body. Graphics are painted, requires paint & final color application.) .....	34.99
4912	Disruptor body for T-Maxx/SportMaxx (custom painted and trimmed) .....	\$34.99
4913X	Decal sheet, Jaws T-Maxx .....	6.00
2514	Decal sheet, racing sponsors .....	3.00
4913R	Decal sheet, T-Maxx (TRX 2.5) .....	6.00
4913	Decal sheet, T-Maxx (use with 4911X body) .....	6.00
9950	Official Team Traxxas racing decal set (flag logo/ 6-color) .....	4.50

### Brake Components

4966X	Brake adapter, hex aluminum (blue) (use with HD shafts) .....	4.75
4967	Brake cam (blue)/ cam lever/ 3mm grub screw .....	6.25
4964	Brake disc .....	2.75
4964X	Brake disc, carbon fiber .....	6.00
4965	Brake pads (2)/ brake piston/ 3x15mm cap hex screws (2) .....	3.50

### Bumpers & Skidplates

4936	Bumper mounts, front (l&r)/ bumper mounts, rear (l&r)/ 3x15mm RHM screws (8) .....	3.75
4935X	Bumpers, 6061-T6, brushed aluminum (f&r) .....	35.00
4935	Bumpers, satin finished (f&r) .....	6.00
4937	Skidplate, front plastic/ stainless steel plate .....	6.00
4938	Skidplate, rear plastic/ stainless steel plate .....	3.75

### Chassis & Attachments

3170	Battery holder, 4-cell/ on-off switch .....	5.00
4925	Box, battery/ adhesive foam chassis pad .....	4.75
4924	Box, receiver/ x-tal access rubber plug/ adhesive foam chassis pad .....	5.00
4923	Chassis braces, lower (2) .....	8.00
4923X	Chassis braces, lower machined 6061-T6 aluminum (blue) (2)/ hardware .....	65.00
5122	Chassis, 6061-T6 aluminum (3.0mm) (blue) .....	45.00
4922X	Chassis, 7075-T6 billet machined aluminum (4mm) (blue)/ hardware .....	85.00
4947X	Skid plate, transmission, T6 aluminum (blue) .....	18.00
5167	Slide carb linkage bellcrank post/ 5x8x2.5 plastic bushing (2)/ bellcrank/ 5x8x0.5 fiber washer (2)/ 3x10 WM .....	2.75

### Clutch & Related Parts

4609	Ball bearings, 5x10x4mm (2) .....	8.00
4611	Ball bearings, 5x11x4mm (2) .....	6.00
4118	Clutch bell, (18-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4609-ball bearings, 5x10x4mm (2)) .....	12.00
4120	Clutch bell, (20-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) .....	12.00
4611	Ball bearings, 5x11x4mm (2) .....	12.00
4122	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) .....	12.00
4146X	Clutch shoes (2)/ spring .....	7.75
3281	Cone, split beveled .....	3.00
1633	E-clips/ C-rings .....	2.00
4142	Flywheel (with pins) .....	7.50
5244	Flywheel nut (TRX 2.5) .....	4.25
1985	Teflon <sup>®</sup> washers, 5x8x0.5mm (20) (washers for clutch bells) .....	2.00

### Differential Components

4982	Diff gear set: 13-T output gear shafts (2)/ 13-T spider gears (2)/ spider shaft (1)/ 6x10x0.5mm Teflon <sup>®</sup> washer (1) .....	9.00
4980	Housings, diff (ring side/ non-ring side) (1 each)/ pinion collar (1) .....	4.00
4981	Ring gear, 37-T/ 13-T pinion/ diff carrier/6x10x0.5mm Teflon <sup>®</sup> washer (1) 2x8mm countersunk machine screws (4) .....	12.00
1647	Silicone grease .....	2.00
4981X	Spool (eliminates differential, use off-road only)(requires #4981 ring gear) .....	12.00

### Driveline Components

4932	Axle carriers/ steering blocks (2) .....	6.00
4928X	Differential output yokes (heavy-duty) (2)/ set screw yoke pins, M4/10 (2) .....	5.00
4951X	Half shafts, long (heavy-duty) (external-splined (2) & internal-splined (2))/ metal U-joints (4) .....	8.00
4949X	Half shafts, short (heavy-duty) (external-splined (2) & internal-splined (2))/ metal U-joints (4) .....	8.00
4954	Hex wheel hubs (2)/ axle pins (2.5x12mm) (2) .....	2.50
4954X	Hex wheel hubs, 6061-T6 aluminum (blue) (2)/ axle pins (2.5x10mm) (2) .....	20.00
4955	Pins, axle (2.5x12mm) (4) .....	1.00
4953X	Stub axles (heavy-duty) (2) .....	8.00
4927X	Transmission output yokes (heavy-duty) (2)/ set screw yoke pins, M4/10 (1) & M4/18.5 (1) .....	6.00

### Engine & Servo Mounts

4960	Engine mount, aluminum (w/ screws) .....	11.00
4960X	Engine mount, machined 6061-T6 aluminum (blue) (w/ screws) (TRX 2.5 and 2.5R)/ head protector (plastic) .....	42.00
4918	Servo mounts, steering/ shift (f&r) .....	3.50
4918X	Servo mounts, steering/ shift (machined aluminum) (blue) (f&r)/ machine screws (8) .....	20.00
4919	Servo mounts, throttle/ brake (1) .....	3.50
4919X	Servo mounts, throttle/ brake (machined aluminum) (blue) (f&r)/ machine screws (8) .....	20.00

### Engine Components

Note: See TRX 2.5 Engine Parts List for complete engine parts listing.		
5237	Cooling head, PowerTune (machined aluminum, blue-anodized) (TRX 2.5 and 2.5R)/ head protector (plastic) .....	40.00
3231	Glowplug, heavy-duty (long-medium) .....	4.50
3232	Glowplug, standard (long-medium) .....	4.50
5211	Roller clutch (TRX 2.5) .....	22.50
5277	Shaft, starter (TRX 2.5) .....	9.00
5170	Starter, recoil (complete with screws) (TRX 2.5) .....	20.00
4091	Temp gauge, blue (on-board engine tuning aid, digital LCD readout, new style with max. temp. memory) .....	\$24.99

### Exhaust

3155	Cable ties, medium (black) (6) .....	2.25
5296	Fitting, inlet for pipe pressure (90-degree) (1) .....	TBA
3296	Fittings, inlet (nipples) for pipe pressure fittings (2) .....	2.75
4085	Hanger wire, universal (6-inches, cut and bend to suit) .....	1.25
5146	Hanger, metal (T-Maxx/SportMaxx) (TRX 2.5) .....	2.00
5140	Header, aluminum (T-Maxx/SportMaxx) (for rear exhaust engines only) (TRX 2.5) .....	20.00
5256	O-ring, header 12.2x1mm (TRX 2.5) .....	1.20
5246	Pipe coupler, molded (for use with pipes 5152 (T-Maxx/SportMaxx) & 4452R) (TRX 2.5) .....	1.75
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6) (exhaust header) .....	2.75
4942	Tuned pipe, hi-performance (blue) / pipe hanger/ screws/ nuts .....	40.00
5152	Tuned pipe, plastic (TRX 2.5) .....	15.00

For assistance call 1-888-TRAXXAS, or e-mail Traxxas anytime at support@Traxxas.com

# Page 2 T-Maxx Parts List

With the TRX 2.5 Racing Engine

## EZ-Start 2 & Related Parts

4579X	Connector, wiring harness (EZ-Start and EZ-Start 2)	5.00
5280	Control box (complete) (EZ-Start 2)	15.00
5281	Control box battery cover w/ belt clip (EZ-Start 2)	4.00
5273	Cush-drive elements (4) (EZ-Start 2)	2.50
5270	EZ-Start 2, complete system with controller, drive unit, wiring harness	50.00
5276	Gear set (complete) (EZ-Start 2)	9.00
5148	Grease, white lithium	3.00
5275	Housing set (inner, outer)/ 3x12mmBCS (5)/ 3x20BCS (1)/ motor bushing (EZ-Start 2)	7.50
4581X	Lead wire, glow plug (blue) (EZ-Start and EZ-Start 2)/ molex pin extractor (use where glow plug wire does not have bullet connector)	1.75
5278	Motor/ pinion gear/ motor bushing (EZ-Start 2)	15.00
5211	Roller clutch (TRX 2.5)	22.50
5169	Screws, 2.6x8mm countersunk machine (6) (EZ-Start 2 motor)	2.00
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws w/ threadlock)	3.00
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2.50
5277	Shaft, starter (TRX 2.5)	9.00

## Front Suspension & Steering

4934	Aluminum caps, pivot ball (4)	7.00
<b>4934X</b>	<b>Aluminum caps, pivot ball (blue) (4)</b>	<b>9.00</b>
4932	Axle carriers/ steering blocks (2)	6.00
<b>2728</b>	<b>Ball bearings, (5x8x2.5mm) (2) (for steering bellcranks) (2 packages required)</b>	<b>8.00</b>
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	3.00
4944	Bellcrank posts, aluminum (2)/ steering link threadedrod (3x25mm)/ long rod ends (2)	7.00
3930	Bulkhead cross braces (2)/ 3x25mm RM screws (8)	3.50
4930	Bulkheads (l&r) (front)	8.00
<b>4930X</b>	<b>Bulkheads, front (machined 6061-T6 aluminum) (blue) (l&amp;r) (requires use of 4939x suspension pins)</b>	<b>75.00</b>
5134	Caster spacers (4)/ shims (4)	3.00
4933	Pivot balls (4)/ pivot ball cap bushings (4)	6.00
<b>4933X</b>	<b>Pivot balls, hard anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)</b>	<b>20.00</b>
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	7.00
2742	Rod ends (long) (6)/ hollow ball connectors (6)	4.00
2742X	Rod ends, short (6)/ hollow balls (6)	4.00
3744	Servo saver w/ adaptors	4.00
2055	Servo, high-torque	28.00
4917X	Shock tower	5.00
4943	Steering bellcranks (2)/ bellcrank bushings (5x8x2.5mm) (4)/ bellcrank post spacers (2)/ draglink/ 3x8mm shoulder screws (2)	5.00
5132	Suspension arms (lower) (2)	7.50
5131	Suspension arms (upper) (2)	7.50
5138	Turnbuckles, 106mm (front tie rods) (2) (includes installed rod ends and hollow ball connectors)	9.00
<b>5138X</b>	<b>Turnbuckles, titanium 106mm (front tie rods) (2)/ billet aluminum wrench</b>	<b>TBA</b>
<b>5190</b>	<b>WideMaxx suspension kit (includes all components to upgrade original T-Maxx to wide suspension)</b>	<b>45.00</b>

## Fuel Tank & Line

3147X	Fuel line (610mm or 2ft)	3.50
4948	Fuel tank (125cc)	14.00
4958	Fuel tank rebuild kit (contains cap, foam washer, o-ring, upper/ lower retainers, screw, spring and screw pin)	5.00
3149	Heat shield tubing, fiberglass (2)	1.50

## Fuel, Cleaners & Supplies

5001	Bottle, fuel filler (500cc)	8.00
<b>3231</b>	<b>Glowplug, heavy-duty (long-medium)</b>	<b>4.50</b>
<b>3232</b>	<b>Glowplug, standard (long-medium)</b>	<b>4.50</b>
5148	Grease, white lithium	3.00
5263	Oil, air filter	4.99
5060	Top Fuel, 10% Nitro (gallon)	25.99
5010	Top Fuel, 10% Nitro (quart)	9.25
5070	Top Fuel, 20% Nitro (gallon)	29.99
5020	Top Fuel, 20% Nitro (quart)	10.99
5080	Top Fuel, 33% Nitro (gallon)	34.99
5030	Top Fuel, 33% Nitro (quart)	12.99

## Hardware

Note: See Hardware Parts List for additional listings

5475	Multi-tool (plastic)	2.50
5476	Hex wrenches; 1.5mm, 2mm, 2.5mm, 2.5 ball	6.00
5478	Flat wrench, 8mm (blue-anodized aluminum)	4.00
5477	Flat wrench, 5mm (blue-anodized aluminum)	4.00
3642	Attachment screws, shock (3x12mm shoulder screws) (6)	3.00
1834	Body clips (12) (standard size)	2.00
3934	Body clips, Maxx series, heavy duty (12)	3.00
1633	E-clips/ C-rings	2.00
<b>3980</b>	<b>Glow plug wrench (universal wrench)</b>	<b>2.00</b>
<b>4147X</b>	<b>Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)</b>	<b>6.00</b>
5147	Nuts, 5mm flanged nylon locking (steel) (8)	3.25

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	7.00
2742	Rod ends (long) (6)/ hollow ball connectors (6)	4.00
2742X	Rod ends, short (6)/ hollow balls (6)	4.00
5169	Screws, 2.6x8mm countersunk machine (6)	2.00
2562	Screws, 2.6x8mm roundhead machine (6)	1.50
3159	Screws, 3x10mm cap-head machine (hex drive) (6)/ lockwashers (6)/ hex wrench	2.75
5282	Screws, 3x12mm button-head machine (6) (Starter attachment screws w/ threadlock)	3.00
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2.50
5142	Screws, 2.6x8mm cap-head machine (hex drive) (with split and flat washers) (6) (exhaust header)	2.75
4897	Screws, set (grub) 4mm (6) w/ threadlock	3.00

## Manuels

5299	Engine Manual, TRX 2.5	7.50
4999X	Owner's Manual, T-Maxx	9.00

## Radio System, Batteries, Charger

2010	Gear set (for 2018 servos)	4.00
2215	Receiver, 3-channel	30.00
2052	Servo case (for 2055 servo)	3.00
2053	Servo gears (for 2055 servo)	4.00
2055	Servo, high-torque	28.00
2018	Servo, standard	24.00
<b>3031</b>	<b>Power adapter, AC (for RX Power Charger)</b>	<b>10.00</b>
<b>3032</b>	<b>Power adapter, DC (12V car adapter for RX Power Charger)</b>	<b>7.50</b>
<b>3034</b>	<b>Wiring harness for RX Power Pack, Traxxas nitro vehicles except Revo (includes on/off switch and charge jack)</b>	<b>5.00</b>
<b>3037</b>	<b>Battery, RX Power Pack (5-cell hump style, NiMH, 1100mAh) (Traxxas nitro models excluding Revo)</b>	<b>30.00</b>
<b>3030</b>	<b>RX Power Charger, peak detecting/ AC adapter (for charging NiCd or NiMH 5-cell receiver packs)</b>	<b>35.00</b>

## Rear Suspension

4934	Aluminum caps, pivot ball (4)	7.00
<b>4934X</b>	<b>Aluminum caps, pivot ball (blue-anodized) (4)</b>	<b>9.00</b>
4932	Axle carriers/ steering blocks (2)	6.00
3930	Bulkhead cross braces (2)/ 3x25mm RM screws (8)	3.50
4929	Bulkheads (l&r) (rear)	8.00
<b>4929X</b>	<b>Bulkheads, rear (machined 6061-T6 aluminum) (blue) (l&amp;r) (requires use of 4939R or 4939X suspension pins)</b>	<b>75.00</b>
5134	Caster spacers (4)/ shims (4)	3.00
4933	Pivot balls (4)/ pivot ball cap bushings (4)	6.00
<b>4933X</b>	<b>Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)</b>	<b>20.00</b>
4917X	Shock tower	5.00
5132	Suspension arms (lower) (2)	7.50
5131	Suspension arms (upper) (2)	7.50
5139	Turnbuckles, 116mm (rear toe control links) (2) (includes installed rod ends and hollow ball connectors)	9.00
<b>5139X</b>	<b>Turnbuckles, titanium 116mm (rear toe control links) (2)/ billet aluminum wrench</b>	<b>TBA</b>

## Shocks (Ultra-Shocks)

3642	Attachment screws, shock (3x12mm shoulder screws) (6)	3.00
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	7.00
2742X	Rod ends, short (6)/ hollow balls (6)	4.00
3767	Shock caps (2)/ shock bottoms (2)	3.00
<b>2667</b>	<b>Shock caps, aluminum (2)/ (Big Bore Shocks, also fits plastic Ultra-Shocks)</b>	<b>7.00</b>
<b>2362</b>	<b>Shock rebuild kit (for 2 shocks)</b>	<b>2.50</b>
<b>2656T</b>	<b>Shock shafts, hardened steel, Titanium Nitride coated (xx-long) (2)</b>	<b>10.00</b>
2656	Shock shafts, steel, chrome finish (xx-long) (2)	3.00
1765	Silicone diaphragms (4)	2.00
1666	Silicone shock oil (30 wt)	2.00
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)	4.00
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))	3.00
4957	Springs, red (for Ultra-Shocks only) (2.5 rate) (f/r) (2)	2.50
3762	Ultra-Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	18.00

## Shocks, Pro-level Aluminum

<b>2666</b>	<b>Big Bore shock cylinder (xx-long) (1)</b>	<b>8.00</b>
<b>4962</b>	<b>Big Bore shocks (xx-long) (hard-anodized &amp; Teflon®-coated T6 aluminum) (assembled) w/ red springs, TiN shafts (8 pack)</b>	<b>99.99</b>
<b>2662</b>	<b>Big Bore shocks (xx-long) (hard-anodized &amp; Teflon®-coated T6 aluminum) w/o springs (rear) (2)</b>	<b>30.00</b>
<b>2669</b>	<b>Piston head set (2-hole (2)/ 3-hole (2)) / shock mounting bushings &amp; washers (2) (Big Bore shocks)</b>	<b>2.50</b>
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	7.00
2742X	Rod ends, short (6)/ hollow balls (6)	4.00
<b>3962</b>	<b>Set (grub) screws, 3x25mm (8)/ 3mm nylon locknuts (8)</b>	<b>3.50</b>

# Page 3 T-Maxx Parts List

With the TRX 2.5 Racing Engine

2667	Shock caps, aluminum (2)/ (Big Bore shocks, also fits plastic Ultra-Shocks) .....	7.00
2362	Shock rebuild kit (for 2 shocks) .....	2.50
2656T	Shock shafts, hardened steel, Titanium Nitride coated (xx-long) (2) .....	10.00
2656	Shock shafts, steel, chrome finish (xx-long) (2) .....	3.00
1765	Silicone diaphragms (4) .....	2.00
1666	Silicone shock oil (30 wt) .....	2.00
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore shocks) .....	5.50
4649R	Springs, red (for Big Bore shocks) (2.5 rate) (2) .....	2.50

## Slipper Clutch Components

4992	Drive gear, two-speed (17/22-teeth)/ slipper shaft .....	6.00
4685	Friction pegs, slipper (12) .....	4.50
4625	Pressure plate, slipper (1) .....	5.00
4622	Pressure rings, slipper (notched) (2) .....	2.50
4615	Slipper clutch set (complete) .....	17.50
1994	Slipper tension spring/ spur gear bushing & locknut .....	2.50

## Spur Gears & Pinion Gears

4470	Spur gear (70-tooth) (32-pitch) w/bushing .....	3.00
4472	Spur gear (72-tooth) (32-pitch) w/bushing .....	3.00

## Steering Components

2728	Ball bearings (5x8x2.5mm) (2) (2 packages required for steering bellcranks) .....	8.00
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4) .....	3.00
4944	Bellcrank posts, aluminum (2)/ steering link threaded rod (3x25mm)/ long rod ends (2) .....	7.00
1942	Rod ends (16 long & 4 short)/ hollow ball connescrews (2) .....	7.00
2742	Rod ends (long) (6)/ hollow ball connectors (6) .....	4.00
2742X	Rod ends, short (6)/ hollow balls (6) .....	4.00
3744	Servo saver w/ adaptors .....	4.00
2055	Servo, high-torque .....	28.00
4943	Steering bellcranks (2)/ bellcrank bushings (5x8x2.5mm) (4)/ bellcrank post spacers (2)/ draglink/ 3x8mm shoulder screws (2) .....	5.00
5138	Turnbuckles, 106mm (front tie rods) (2) (includes installed rod ends and hollow ball connectors) .....	9.00

## Suspension Linkage

3642	Attachment screws, shock (3x12mm shoulder screws) (6) .....	3.00
1633	E-clips/ C-rings .....	2.00
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) .....	7.00
2742	Rod ends (long) (6)/ hollow ball connectors (6) .....	4.00
2742X	Rod ends, short (6)/ hollow balls (6) .....	4.00
3744	Servo saver w/ adaptors .....	4.00
4939X	Suspension pin set, stainless steel (w/ E-clips) .....	12.00
4939R	Suspension pin set, titanium (w/ E-clips) .....	24.50
4939	Suspension screw pin set (T-Maxx, E-Maxx) .....	6.00
5138	Turnbuckles, 106mm (front tie rods) (2) (includes installed rod ends and hollow ball connectors) .....	9.00
5139	Turnbuckles, 116mm (rear toe control links) (2) (includes installed rod ends and hollow ball connectors) .....	9.00
5138X	Turnbuckles, titanium 106mm (front tie rods) (2)/ billet aluminum wrench .....	TBA
5139X	Turnbuckles, titanium 116mm (rear toe control links) (2)/ billet aluminum wrench .....	TBA

## Team Traxxas Items

2514	Decal sheet, racing sponsors .....	3.00
9950	Official Team Traxxas racing decal set(flag logo/ 6-color) .....	4.50
9909	Traxxas racing banner, red & black (3x7 feet) .....	15.00
9941	T-Shirt "Nothin' but MAXX" (full color, 100% heavyweight cotton) (L) .....	19.99
9940	T-Shirt "Nothin' but MAXX" (full color, 100% heavyweight cotton) (M) .....	19.99
9942	T-Shirt "Nothin' but MAXX" (full color, 100% heavyweight cotton) (XL) .....	19.99
9943	T-Shirt "Nothin' but MAXX" (full color, 100% heavyweight cotton) (XXL) .....	19.99
9944	T-Shirt "Nothin' but MAXX" (full color, 100% heavyweight cotton) (XXXL) .....	19.99

## Throttle, Brake, & Shift Linkage

4967	Brake cam (blue)/ cam lever/ 3mm grub screw .....	6.25
3182	Collars, screw (2)/ grub screws, 3mm (2) .....	2.50
3180	Rod guides (2)/ 3mm nylon locknuts (2) .....	2.25
4182	Servo horn, throttle-brake/ shift (1) .....	2.50
5167	Slide carb linkage bellcrank post/ 5x8x2.5 plastic bushing (2)/ bellcrank/ 5x8x0.5 fiber washer (2)/ 3x10 WM (2) .....	2.75
5168	Slide carb linkage set (throttle link, brake link, and hardware) .....	6.00
3184	Springs: throttle/brake/shift (3) .....	1.25
4968	Wires: brake, throttle, shift/ servo horns: throttle, brake & shift; ball screw and ball cup (shift shaft) .....	7.50

## Tires & Wheels

4971	Foam inserts, tire (2) .....	7.00
4954	Hex wheel hubs (2)/ axle pins (2.5x12mm) (2) .....	2.50
4954X	Hex wheel hubs, 6061-T6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4) .....	20.00
4147X	Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4) .....	6.00
5147	Nuts, 5mm flanged nylon locking (steel) (8) .....	3.25
4955	Pins, axle (2.5x12mm) (4) .....	1.00
3972X	Sport Wheels, Maxx (mirror chrome finish) (2) .....	10.00
3972	Sport Wheels, Maxx (satin-finish) (2) .....	9.00
4970	Tires, 3.2" Maxx series (2) .....	26.00
4972	Wheels, satin finished 3.2" (2) .....	9.00
4972X	Wheels, T-Maxx (chrome) (2) .....	10.00
3970	SportTraxx tires, medium compound (1 pair) (tires only) .....	TBA
3970R	SportTraxx Tires with contoured inserts (2) .....	29.00
5350	Hex wheel hub, clamp on (4) .....	TBA
5374	Tires & wheels, assembled, glued (Gemini chrome wheels, Talon tires, foam inserts) (2) (also fits Maxx series) .....	39.00
5471	Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2) .....	30.00
5470	Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ 3-piece contoured inserts .....	35.00
5370	Tires, Talon 3.8" (2)/ foam inserts (2) .....	30.00
5372	Wheels, Gemini 3.8" (chrome) (2) (also fits Maxx series) .....	11.00
5374	Tires & wheels, assembled, glued (Gemini chrome wheels, Talon tires, foam inserts) (2) (also fits Maxx series) .....	39.00
5373	Wheels, Hurricane 3.8" (chrome) (2) (also fits Maxx series) .....	11.00

## Transmission Components

4990	Clutch bell, forward/ reverse .....	32.00
4992	Drive gear, two-speed (17/22-teeth)/ slipper shaft .....	6.00
4988	Drive hub assembly, clutch/ 6x8.5x0.5mm Teflon® washer (1) .....	16.00
4994X	Forward only shaft and gear (increases performance by eliminating weight of reverse mechanism) .....	11.00
4993	Gear shaft, primary(1) .....	3.00
4994R	Gear, 26-T (replacement gear for the 4994x forward-only shaft) .....	7.00
4991	Gearbox halves (f&r)/ rubber access plug .....	10.00
4996	Idler gear, steel (16-tooth)/ idler gear shaft/ 3x8mm flat metal washer/ 8x12x0.5mm Teflon® washer/ 3x6mm flat metal washer/ 3mm nylon locknut 3x20mm cap hex machine screw .....	5.00
4997	Output gear assembly, forward (26-T) .....	7.00
4998	Output gear assembly, reverse (26-T) .....	7.00
4994	Output shaft (1)/ output shaft spacer (5x8x14mm) .....	7.00
4995	Primary gears: forward (28-T)/ reverse (22-T)/ steel drive pin (2x9.8mm)/ 5x10x0.5mm Teflon® washer (1) .....	6.00
4989	Shift fork-shaft/ shift fork pads (2)/ rubber shift shaft seal .....	7.00
1647	Silicone grease .....	2.00
5193X	Single-speed conversion kit (eliminates 2-speed mechanism for reduced weight, less rotational mass) .....	11.00
4985	Spur gear assembly, 38-T (2nd speed) .....	4.00
3982	Washer, Teflon® 6x8x5 (10) .....	1.25
3981	Washer, Teflon® 6x9.5x5 (10) .....	1.25

## Turnbuckles & Threaded rods

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) .....	7.00
2742	Rod ends (long) (6)/ hollow ball connectors (6) .....	4.00
2742X	Rod ends, short (6)/ hollow balls (6) .....	4.00
5138	Turnbuckles, 106mm (front tie rods) (2) (includes installed rod ends and hollow ball connectors) .....	9.00
5139	Turnbuckles, 116mm (rear toe control links) (2) (includes installed rod ends and hollow ball connectors) .....	9.00
5138X	Turnbuckles, titanium 106mm (front tie rods) (2)/ billet aluminum wrench .....	TBA
5139X	Turnbuckles, titanium 116mm (rear toe control links) (2)/ billet aluminum wrench .....	TBA

See Radio System parts list for electronic components.

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**  
(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-265-8000, or fax to 972-265-8011 e-mail Traxxas at support@Traxxas.com

WWW.TRAXXAS.COM