



# Revo Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically. TBA: Check [www.Traxxas.com](http://www.Traxxas.com) to download latest parts list and pricing

**Model 5310    REV 050131**

### Air Filters

|      |   |       |
|------|---|-------|
| 5264 | Air filter housing/ foam insert/ Revo air filter base (angled) cable tie (1-each) (TRX 2.5) ..... | 12.00 |
| 5261 | Air filter inserts, foam (3) (pre-oiled) (TRX 2.5) .....  | 6.25  |
| 5263 | Oil, air filter .....   | 4.99  |

### Bearings & Bushings

|      |  |      |
|------|--|------|
| 4609 | Ball bearings (5x10x4mm) (2) (metal shielded, for clutch bell) ..... | 8.00 |
| 4611 | Ball bearings (5x11x4mm) (2) (metal shielded, for clutch bell) ..... | 6.00 |
| 5119 | Ball bearings, blue rubber shield (10x15x4mm) (2) .....              | 7.00 |
| 5120 | Ball bearings, blue rubber shield (12x18x4mm) (2) .....              | 8.00 |
| 5115 | Ball bearings, blue rubber shield (5x10x4mm) (2) .....               | 3.50 |
| 5116 | Ball bearings, blue rubber shield (5x11x4mm) (2) .....               | 3.50 |
| 5114 | Ball bearings, blue rubber shield (5x8x2.5mm) (2) .....              | 4.00 |
| 5117 | Ball bearings, blue rubber shield (6x12x4mm) (2) .....               | 4.00 |
| 5118 | Ball bearings, blue rubber shield (8x16x5mm) (2) .....               | 6.00 |
| 5121 | Bearing, needle roller (6x10x8mm) (2) .....                          | 8.00 |
| 2545 | Bushings (plastic) (5x8x2.5mm) (4) .....                             | 3.00 |

### Body & Accessories

|       |   |              |
|-------|---|--------------|
| 1926  | Antenna caps, vinyl (2)/ antenna spool .....  | 2.00         |
| 1726  | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) .....   | 1.00         |
| 1834  | Body clips (12) (standard size) .....   | 2.00         |
| 3934  | Body clips, heavy duty (12) .....   | 3.00         |
| 5314  | Body mounts, front & rear/ body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1) .....  | 11.00        |
| 4915  | Body washers, foam adhesive (10) .....  | 2.00         |
| 5311  | <b>Body, Revo (clear, requires painting)/window, grill, lights decals</b> .....   | <b>20.00</b> |
| 5311X | <b>Body, Revo, ProGraphix (replacement for painted body. Graphics are painted- requires paint and final color application)/ window, grill, lights decal sheet</b> ..... | <b>34.99</b> |
| 5313  | Decal set, Revo (Revo logos and graphics decal sheet) .....   | 6.00         |
| 2514  | <b>Decal sheet, racing sponsors</b> .....   | <b>3.00</b>  |
| 9950  | <b>Official Team Traxxas racing decal set (flag logo/ 6-color)</b> .....  | <b>4.50</b>  |

### Brake Components

|       |   |            |
|-------|---|------------|
| 5388  | Brake cam (1)/ sleeve (1) .....   | 4.50       |
| 5364  | Brake disc (40mm steel) .....   | 2.50       |
| 5364X | <b>Brake disc (high performance, vented)</b> .....  | <b>TBA</b> |
| 5365  | Brake pad set (inner and outer calipers with bonded friction material) ....   | 7.50       |
| 5368  | Linkage set, throttle & brake, Revo (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware) ..... | 8.00       |
| 4978  | Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo brake bolts) (6) .....   | 2.50       |
| 5457  | Yoke, brake (1)/ torque pins (2)/ 4x15mm screw pin .....  | 4.00       |

### Bumpers & Skidplates

|      |   |      |
|------|---|------|
| 5335 | Bumper, front/ bumper mount, front/ 4x10mm BCS (2)/ 3x25mm BCS (2) ....             | 7.50 |
| 5336 | Bumper, rear/ bumper mount, rear/ 4x10mm BCS (2)/ 3x25mm BCS (2) ....               | 7.50 |
| 5315 | Guards, steering servo (2) .....  | 4.00 |
| 5316 | Roll hoop, plastic/ transmission skid guard, plastic .....                          | 8.50 |
| 5337 | Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic) .... | 8.00 |

### Chassis & Attachments

|      |  |       |
|------|--|-------|
| 5314 | Body mounts, front & rear/ body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1) ..... | 11.00 |
| 5323 | Bulkhead tie bars, front & rear (blue-anodized aluminum) .....   | 9.50  |
| 5330 | Bulkhead, front (L&R halves)/ diff retainer/ 4x14mm BCS (4) .....  | 15.00 |
| 5329 | Bulkhead, rear (L&R halves)/ diff retainer, rear/ 4x14mm BCS (4) .....                                   | 15.00 |
| 5322 | Chassis, Revo (3mm 6061-T6 aluminum) (blue-anodized) .....   | 50.00 |
| 5325 | Electronics box, left/ box cover .....   | 5.75  |
| 5324 | Electronics box, right/ box cover/ charge jack plug (rubber)/ foam padding and adhesive .....            | 8.25  |
| 5315 | Guards, steering servo (2) .....   | 4.00  |
| 5326 | Servo mounts, steering (2) .....   | 3.00  |
| 5317 | Shock mounts (front & rear)/ wire clip (1)/ chassis wire clips (4)/ 3x32mm CS (4)/ 3x6mm BCS (1) .....   | 6.00  |
| 5337 | Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic) ....                      | 8.00  |

### Clutch & Related Parts

|       |   |              |
|-------|---|--------------|
| 4609  | Ball bearings (5x10x4mm) (2) .....  | 8.00         |
| 4611  | Ball bearings (5x11x4mm) (2) .....  | 6.00         |
| 5214  | <b>Clutch bell (14-tooth)/5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires 5x10x4mm ball bearings part #4609)</b> ..... | <b>12.00</b> |
| 5215  | Clutch bell (15-tooth)/5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires 5x11x4mm ball bearings part #4611) .....        | 12.00        |
| 5216  | <b>Clutch bell (16-tooth)/5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires 5x11x4mm ball bearings part #4611)</b> ..... | <b>12.00</b> |
| 4146X | Clutch shoes (2)/ spring .....  | 7.75         |
| 3281  | Cone, split beveled .....   | 3.00         |

|       |  |              |
|-------|--|--------------|
| 1633  | E-clips/ C-rings .....   | 2.00         |
| 4142  | Flywheel (N. Rustler/Sport/Stampede/T-Maxx/Revo) .....   | 7.50         |
| 4142X | <b>Flywheel, 40mm machined aluminum (knurled for use with starter boxes) (TRX 2.5, 2.5R) (silver-anodized)</b> ..... | <b>10.00</b> |
| 5244  | Flywheel nut (TRX 2.5, 2.5R) .....   | 4.25         |
| 1985  | Teflon® washers, 5x8x0.5mm (20) (use with ball bearings) .....   | 2.00         |

### Differential Components

|       |   |              |
|-------|---|--------------|
| 5119  | Ball bearings, blue rubber shield (10x15x4mm) (2) .....                             | 7.00         |
| 5117  | Ball bearings, blue rubber shield (6x12x4mm) (2) .....                              | 4.00         |
| 5118  | Ball bearings, blue rubber shield (8x16x5mm) (2) .....                              | 6.00         |
| 5381  | Carrier, differential/ X-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW .....      | 4.25         |
| 5136X | <b>Differential oil kit (1 each: 10K, 30K, 50K weights)</b> .....                   | <b>21.00</b> |
| 5382  | Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft) .... | 12.00        |
| 5380  | Housing, differential (front or rear) (1) .....                                     | 4.00         |
| 5135  | <b>Oil, differential (10K weight)</b> .....   | <b>7.50</b>  |
| 5136  | Oil, differential (30K weight) .....  | 7.50         |
| 5137  | <b>Oil, differential (50K weight)</b> .....   | <b>7.50</b>  |
| 5379  | Ring gear, differential/ pinion gear, differential .....                            | 15.00        |

### Driveline Components

|       |   |              |
|-------|---|--------------|
| 5334  | Axle carriers, left & right (1 each) .....  | 8.00         |
| 5459  | Boots, driveshaft (rubber) (2) .....  | 2.50         |
| 5451  | Driveshaft assembly (1), left or right (fully assembled, ready to install)/ 4x15mm screw pin (1) .....  | 12.00        |
| 5450  | Half shaft set, left or right (plastic parts only) (internal splined half shaft/ external splined half shaft/ rubber boot) (assembled with glued boot) (2 assemblies) ..... | 7.50         |
| 5455  | Half shafts, center front (internal splined (1)/ external splined (1)/ center rear (internal splined (1)/ external splined (1)) (plastic parts only) ....                   | 4.25         |
| 5350  | <b>Hex wheel hub, clamp on (4)</b> .....  | <b>TBA</b>   |
| 4954  | Hex wheel hubs (2)/ axle pins (2.5x12mm) (2) .....  | 2.50         |
| 4954X | <b>Hex wheel hubs, 6061-T6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)</b> .....  | <b>20.00</b> |
| 4955  | Pins, axle (2.5x12mm) (4) .....   | 1.00         |
| 5145  | Screw pin, 4x15mm (6) .....   | 3.50         |
| 5454  | Stub axle (steel) (2) .....   | 5.00         |
| 5454X | <b>Stub axle (titanium) (4)</b> .....   | <b>TBA</b>   |
| 5452  | U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm cross pin (4)/ E-clips (20)) (metal parts for 2 driveshafts) .....  | 10.00        |
| 5457  | Yoke, brake (1)/ torque pins (2)/ 4x15mm screw pin .....  | 4.00         |
| 5458  | Yokes, differential and transmission (2)/ 4x15mm screw pins (2) .....   | 4.00         |
| 5453  | Yokes, stub axle (2)/ pins (2) .....  | 4.00         |

### Engine & Servo Mounts

|       |   |              |
|-------|---|--------------|
| 5360  | Engine mount (complete assembly)/ 3x28mm CS with washers (2)/ 3x10 CS with washers (10) .....   | 19.00        |
| 5326  | Servo mounts, steering (2) .....  | 3.00         |
| 5360X | <b>Big block installation kit for Revo (Includes engine cradle, header, forward-only conversion, aluminum flywheel, &amp; hardware)</b> ..... | <b>55.00</b> |

### Engine Components

|       |   |              |
|-------|---|--------------|
| 5237  | Cooling head, PowerTune (machined aluminum, blue-anodized) (TRX 2.5 and 2.5R)/ head protector (plastic) .....     | 40.00        |
| 5270  | EZ-Start 2, complete system with controller, drive unit, wiring harness .....                                     | 50.00        |
| 3980  | Glow plug wrench (universal wrench) .....   | 2.00         |
| 3232  | Glow plug, super-duty (long medium) .....   | 4.50         |
| 3231  | Glowplug, heavy-duty (long-medium) .....  | 4.50         |
| 3230  | <b>Glowplug, standard (long-hot)</b> .....  | <b>4.00</b>  |
| 5227  | Head protector, cooling head (2) (TRX 2.5) .....  | 3.00         |
| 5230X | Piston/ sleeve (matched set) (TRX 2.5R) .....   | 70.00        |
| 5211  | Roller clutch (TRX 2.5 & 2.5R) .....  | 22.50        |
| 5277  | Shaft, starter (TRX 2.5 & 2.5R) .....   | 9.00         |
| 5170  | <b>Starter, recoil (complete with screws) (TRX 2.5 &amp; 2.5R)</b> .....  | <b>20.00</b> |
| 4091  | <b>Temp gauge, blue (on-board engine tuning aid, digital LCD readout, new style with max. temp. memory)</b> ..... | <b>24.99</b> |

### Exhaust

|       |   |             |
|-------|---|-------------|
| 3155  | Cable ties, medium (black) (6) .....  | 2.25        |
| 4085  | <b>Hanger wire, universal (6-inches, cut and bend to suit)</b> .....  | <b>1.25</b> |
| 5346  | Hanger, metal wire (for tuned pipe)/ 4mm GS (1)/ 4x10 BCS (1) .....   | 2.00        |
| 5340  | Header, exhaust (tubular aluminum, silver-anodized) (TRX 2.5, 2.5R) .....   | 20.00       |
| 5256  | O-ring, header 12.2x1mm (TRX 2.5) .....   | 1.20        |
| 5245X | <b>Pipe coupler, molded (black)/ exhaust deflector (rubber, black)/ cable ties, long (2)/ cable ties, short (2)</b> ..... | <b>4.00</b> |
| 5245  | Pipe coupler, molded (blue)/ exhaust deflector (rubber, blue)/ cable ties, long (2)/ cable ties, short (2) .....          | 4.00        |
| 5142  | Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6) .....                                       | 2.75        |
| 5342  | Tuned pipe, aluminum, blue-anodized (dual chamber with pressure fitting)/ 4mm GS .....                                    | 46.00       |

**Continued**

For assistance call 1-888-TRAXXAS, or e-mail Traxxas anytime at [support@Traxxas.com](mailto:support@Traxxas.com)

## Page 2 Revo Parts List

### EZ-Start & Related Parts

|             |  |             |
|-------------|--|-------------|
| 4579X       | Connector, wiring harness (EZ-Start and EZ-Start 2)  | 5.00        |
| 5280        | Control box (complete) (EZ-Start 2)  | 15.00       |
| 5281        | Control box battery cover w/ belt clip (EZ-Start 2)  | 4.00        |
| 5273        | Cush-drive elements (4) (EZ-Start 2)   | 2.50        |
| 5270        | EZ-Start 2, complete system with controller, drive unit, wiring harness  | 50.00       |
| 5276        | Gear set (complete) (EZ-Start 2)   | 9.00        |
| <b>5148</b> | <b>Grease, white lithium</b>   | <b>3.00</b> |
| 5275        | Housing set (inner, outer)/ 3x12mmBCS (5)/ 3x20BCS (1)/ motor bushing (EZ-Start 2)   | 7.50        |
| 4581X       | Lead wire, glow plug (blue) (EZ-Start and EZ-Start 2)/ molex pin extractor (use where glow plug wire does not have bullet connector) | 1.75        |
| 5278        | Motor/ pinion gear/ motor bushing (EZ-Start 2)   | 15.00       |
| 5211        | Roller clutch (TRX 2.5, 2.5R)  | 22.50       |
| 5169        | Screws, 2.6x8mm countersunk machine (6)  | 2.00        |
| 5282        | Screws, 3x12mm button-head machine (6) (starter attachment screws w/ threadlock)   | 3.00        |
| 2578        | Screws, 3x12mm button-head machine (hex drive) (6)   | 2.50        |
| 5277        | Shaft, starter (TRX 2.5, 2.5R)   | 9.00        |
| 5317        | Wire clips, chassis (4)/ wire clip (1)/ shock mounts (front & rear)/ 3x32mm CS (4)   | 6.00        |

### Front Suspension

|              |   |              |
|--------------|---|--------------|
| 5347         | Rod ends, Revo (large) with hollow balls (12)   | 9.00         |
| 5334         | Axle carriers, left & right (1 each)  | 8.00         |
| 5323         | Bulkhead tie bars, front & rear (blue-anodized aluminum)  | 9.50         |
| 5330         | Bulkhead, front (L&R halves)/ diff retainer/ 4x14mm BCS (4)   | 15.00        |
| 5134         | Caster spacers (4)/ shims (4)   | 3.00         |
| 5378         | Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers (4) (2 pkgs. req. to complete truck) | 6.75         |
| 4933         | Pivot balls (4)/ pivot ball cap bushings (4)  | 6.00         |
| <b>4933X</b> | <b>Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)</b>   | <b>20.00</b> |
| <b>5319X</b> | <b>Push rod (aluminum) (assembled with rod ends) (red) (2) (use with #5359 progressive-3 rockers)</b>                         | <b>10.00</b> |
| <b>5318X</b> | <b>Push rod (aluminum) (assembled with rod ends) (red) (2) (use with long travel or #5357 progressive-1 rockers)</b>          | <b>10.00</b> |
| <b>5319</b>  | <b>Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive-3 rockers)</b>                          | <b>7.00</b>  |
| 5318         | Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)                          | 7.00         |
| <b>5354X</b> | <b>Rocker arm post (aluminum) (4)</b>   | <b>12.50</b> |
| 5354         | Rocker arm post (steel) (2)   | 3.25         |
| 5356         | Rocker arm set, long travel (120-T) (use w/ #5318 or #5318X pushrod)  | 8.00         |
| 5357         | Rocker arm set, progressive-1 (90-T) (use w/ #5318 or #5318X pushrod)   | 8.00         |
| <b>5358</b>  | <b>Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)</b>   | <b>11.00</b> |
| <b>5359</b>  | <b>Rocker arm set, progressive-3 (90-T) (requires pushrods part #5319 or 5319X)</b>   | <b>8.00</b>  |
| <b>5133</b>  | <b>Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive-2 rockers) (8)</b>                    | <b>5.00</b>  |
| 5332         | Suspension arms upper (1)/ suspension arm lower (1) (left front)  | 7.50         |
| 5331         | Suspension arms upper (1)/ suspension arm lower (1) (right front)   | 7.50         |
| 5321         | Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)  | 4.75         |
| <b>5321X</b> | <b>Suspension pin set, titanium (front or rear), 3x24mm(4), 3x85mm(2)</b>   | <b>TBA</b>   |
| 5338         | Toe link, 5.0mm steel (front or rear) (2)   | 10.00        |
| <b>5338X</b> | <b>Toe link, 5.0mm titanium (front or rear) (2)</b>   | <b>TBA</b>   |

### Fuel Tank & Line

|             |   |             |
|-------------|---|-------------|
| 3935        | Body clip (mounting clip), angled, 90-degrees (10)  | 3.00        |
| 3147X       | Fuel line (610mm or 2ft)  | 3.50        |
| 5363        | Fuel tank (complete)  | 16.00       |
| <b>3149</b> | <b>Heat shield tubing, fiberglass (2)</b>   | <b>1.50</b> |
| 5367        | Pull ring, fuel tank cap (1)/ engine shut-off clamp (1)   | 3.00        |
| 5376        | Rebuild kit, fuel tank (includes: mounting post, grommets (2), tank guard, mounting clips (2), cap O-ring, cap pull ring, hardware) | 5.00        |

### Fuel, Lubricants & Supplies

|              |   |              |
|--------------|---|--------------|
| <b>5001</b>  | <b>Bottle, fuel filler (500cc)</b>                          | <b>8.00</b>  |
| <b>5136X</b> | <b>Differential oil kit (1 each: 10K, 30K, 50K weights)</b> | <b>21.00</b> |
| 3232         | Glow plug, super-duty (long medium)                         | 4.50         |
| 3231         | Glowplug, heavy-duty (long-medium)                          | 4.50         |
| <b>3230</b>  | <b>Glowplug, standard (long-hot)</b>                        | <b>4.00</b>  |
| <b>5148</b>  | <b>Grease, white lithium</b>                                | <b>3.00</b>  |
| <b>5263</b>  | <b>Oil, air filter</b>                                      | <b>4.99</b>  |
| <b>5135</b>  | <b>Oil, differential (10K weight)</b>                       | <b>7.50</b>  |
| 5136         | Oil, differential (30K weight)                              | 7.50         |
| <b>5137</b>  | <b>Oil, differential (50K weight)</b>                       | <b>7.50</b>  |
| 1666         | Silicone shock oil (30 wt)                                  | 2.00         |
| <b>5060</b>  | <b>Top Fuel, 10% Nitro (gallon)</b>                         | <b>25.99</b> |
| <b>5010</b>  | <b>Top Fuel, 10% Nitro (quart)</b>                          | <b>9.25</b>  |
| <b>5070</b>  | <b>Top Fuel, 20% Nitro (gallon)</b>                         | <b>29.99</b> |
| <b>5020</b>  | <b>Top Fuel, 20% Nitro (quart)</b>                          | <b>10.99</b> |
| <b>5080</b>  | <b>Top Fuel, 33% Nitro (gallon)</b>                         | <b>34.99</b> |
| <b>5030</b>  | <b>Top Fuel, 33% Nitro (quart)</b>                          | <b>12.99</b> |

### Manuals

|             |                               |             |
|-------------|-------------------------------|-------------|
| <b>5299</b> | <b>Engine Manual, TRX 2.5</b> | <b>7.50</b> |
| 5399        | Owner's manual, Revo          | 9.00        |

### Hardware

|              |  |             |
|--------------|--|-------------|
| 3935         | Body clip (mounting clip), angled, 90-degrees (10)   | 3.00        |
| <b>1834</b>  | <b>Body clips (12) (standard size)</b>   | <b>2.00</b> |
| 3934         | Body clips, heavy duty (12)  | 3.00        |
| 3182         | Collars, screw (2)/ grub screws, 3mm (2)   | 2.50        |
| 5150         | E-clips, 2mm (24)  | 1.50        |
| 5477         | Flat wrench, 5mm (blue-anodized aluminum)  | 4.00        |
| 5478         | Flat wrench, 8mm (blue-anodized aluminum)  | 4.00        |
| 3980         | Glow plug wrench (universal wrench)  | 2.00        |
| 2586         | Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)   | 2.50        |
| 5476         | Hex wrenches; 1.5mm, 2mm, 2.5mm, 2.5 ball  | 6.00        |
| 5475         | Multi-tool (plastic)   | 2.50        |
| 5158         | Nuts, 2.5mm nylon locking (12)   | 2.50        |
| 2745         | Nuts, 3mm nylon locking (12)   | 2.00        |
| <b>4147X</b> | <b>Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)</b>                                       | <b>6.00</b> |
| 5147         | Nuts, 5mm flanged nylon locking (steel) (8)  | 3.25        |
| 4147         | Nuts, 5mm nylon locking (8)  | 2.00        |
| 4987         | Rings, retainer (snap rings) (14mm) (2)  | 2.00        |
| 5144         | Screw pin, 2.5x18mm (6)  | 1.50        |
| 5145         | Screw pin, 4x15mm (6)  | 3.50        |
| 3215         | Screws, 2.5x6mm cap-head machine (hex drive) (6)   | 2.00        |
| 3965         | Screws, 2.5x8mm cap-head machine (6)   | 2.50        |
| 5169         | Screws, 2.6x8mm countersunk machine (6)  | 2.00        |
| 2674         | Screws, 2x6mm round-head self-tapping (6)  | 1.50        |
| 2577         | Screws, 3x10mm button-head machine (hex drive) (6)   | 2.50        |
| 2587         | Screws, 3x10mm cap-head machine (6) (no washer)  | 2.50        |
| 3159         | Screws, 3x10mm cap-head machine (hex drive) (6)/ lockwashers (6)/ hex wrench                               | 2.75        |
| 2551         | Screws, 3x10mm countersunk machine (6) (hex drive)   | 2.50        |
| 5282         | Screws, 3x12mm button-head machine (6) (starter attachment screws w/ threadlock)                           | 3.00        |
| 2578         | Screws, 3x12mm button-head machine (hex drive) (6)   | 2.50        |
| 2552         | Screws, 3x12mm countersunk machine (6) (hex drive)   | 2.50        |
| 2579         | Screws, 3x15mm button-head machine (hex drive) (6)   | 2.50        |
| 5142         | Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)                              | 2.75        |
| 2553         | Screws, 3x15mm countersunk machine (6) (hex drive)   | 2.50        |
| 2580         | Screws, 3x20mm button-head machine (hex drive) (6)   | 2.50        |
| 4978         | Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo brake bolts) (6)                  | 2.50        |
| 2581         | Screws, 3x25mm button-head machine (hex drive) (6)   | 2.50        |
| 3963         | Screws, 3x28mm cap-head machine (hex drive) (6)/ 3x6mm ELW (6)   | 2.75        |
| 2582         | Screws, 3x30mm button-head machine (hex drive) (6)   | 2.50        |
| 3964         | Screws, 3x32mm cap-head machine (hex drive) (6)  | 2.50        |
| 2575         | Screws, 3x6mm button-head machine (hex drive) (6)  | 2.50        |
| 2554         | Screws, 3x6mm cap-head machine (hex drive) (6)   | 2.50        |
| 2576         | Screws, 3x8mm button-head machine (hex drive) (6)  | 2.50        |
| 3936         | Screws, 4x10mm button-head machine (hex drive) (6)   | 2.50        |
| 3937         | Screws, 4x12mm button-head machine (hex drive) (6)   | 2.50        |
| 3938         | Screws, 4x14mm button-head machine (hex drive) (6)   | 2.50        |
| 3939         | Screws, 4x6mm button-head machine (hex drive) (w/ threadlock) (6)  | 3.00        |
| 4897         | Screws, set (grub) 4mm (6) (w/ threadlock)   | 3.00        |
| 2743         | Set (grub) screws, 3mm hardened (12)   | 3.00        |
| 3966         | Shoulder screws, 3x10mm (6) (with threadlock)  | 3.50        |
| <b>5133</b>  | <b>Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive-2 rockers) (8)</b> | <b>5.00</b> |
| 3982         | Washer, Teflon® 6x8x0.5 (10)   | 1.25        |

### Radio System, Batteries, Charger

|             |  |              |
|-------------|--|--------------|
| 1726        | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)  | 1.00         |
| 3036        | Battery, RX Power Pack (5-cell flat style, GP cells, NiMH, 1100mAh)  | 30.00        |
| <b>3037</b> | <b>Battery, RX Power Pack (5-cell hump style, NiMH, 1100mAh) (Traxxas nitro models excluding Revo)</b>               | <b>30.00</b> |
| 2734        | Cable ties (small) (10)  | 2.00         |
| 2061        | Case for micro servo   | 3.00         |
| 2010        | Gear set (for 2018 servos)   | 4.00         |
| 2062        | Gear set, micro servo  | 4.00         |
| 3031        | Power adapter, AC (for RX Power Charger)   | 10.00        |
| <b>3032</b> | <b>Power adapter, DC (12V car adapter for RX Power Charger)</b>  | <b>7.50</b>  |
| 2215        | Receiver, 3-channel  | 30.00        |
| 3030        | RX Power Charger, peak detecting/ AC adapter (for charging NiCd or NiMH 5-cell receiver packs)                       | 35.00        |
| 2052        | Servo case (for 2055 servo)  | 3.00         |
| 2046        | Servo connector, Y adapter (for dual-servo steering)   | 4.00         |
| 2053        | Servo gears (for 2055 servo)   | 4.00         |
| 2055        | Servo, high-torque   | 28.00        |
| 2060        | Servo, micro   | 28.00        |
| 2018        | Servo, standard  | 24.00        |
| 3035        | Wiring harness for RX Power Pack, Revo (includes on/off switch and charge jack)                                      | 5.00         |
| <b>3034</b> | <b>Wiring harness for RX Power Pack, Traxxas nitro vehicles except Revo (includes on/off switch and charge jack)</b> | <b>5.00</b>  |

Continued

## Page 3 Revo Parts List

| Recoil Starter            |   |
|---------------------------|---|
| 5277                      | Shaft, starter (TRX 2.5 & 2.5R) .....9.00   |
| 5170                      | Starter, recoil (complete with screws) (TRX 2.5, 2.5R).....20.00  |
| Rear Suspension           |   |
| 5334                      | Axle carriers, left & right (1 each) .....8.00  |
| 5323                      | Bulkhead tie bars, front & rear (blue-anodized aluminum) .....9.50  |
| 5329                      | Bulkhead, rear (L&R halves)/ diff retainer, rear/ 4x14mm BCS (4) .....15.00   |
| 5134                      | Caster spacers (4)/ shims (4) .....3.00   |
| 5378                      | Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers (4) (2 pkgs. req. to complete truck) .....6.75 |
| 4933                      | Pivot balls (4)/ pivot ball cap bushings (4) .....6.00  |
| 4933X                     | Pivot balls, hard anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4) .....20.00   |
| 5319X                     | Push rod (aluminum) (assembled with rod ends) (2) (black) (use with #5359 progressive-3 rockers) .....10.00                             |
| 5318X                     | Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers) .....10.00                      |
| 5319                      | Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive-3 rockers) .....7.00                                 |
| 5318                      | Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers) .....7.00                          |
| 5354X                     | Rocker arm post (aluminum) (4) .....12.50   |
| 5354                      | Rocker arm post (steel) (2) .....3.25   |
| 5356                      | Rocker arm set, long travel (120-T) (use with #5318 or #5318X pushrod) .....8.00  |
| 5357                      | Rocker arm set, progressive-1 (90-T) (use with #5318 or #5318X pushrod) .....8.00   |
| 5358                      | Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8).....11.00  |
| 5359                      | Rocker arm set, progressive-3 (90-T) (requires pushrods part #5319 or 5319X) .....8.00  |
| 5348                      | Rod ends, Revo (large, for rear toe link only) (4) .....2.00  |
| 5133                      | Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive-2 rockers) (8) .....5.00                           |
| 5333                      | Suspension arm upper (1)/ suspension arm lower (1) (rear, left or right).....7.50   |
| 5321                      | Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2) .....4.75  |
| 5321X                     | Suspension pin set, titanium (front or rear), 3x24mm(4), 3x85mm(2) ....TBA  |
| Shocks (GTR)              |   |
| 5466                      | Body, GTR shock (aluminum) (1) .....8.00  |
| 5466X                     | Body, GTR shock (hard-anodized, Teflon®-coated aluminum) (1) .....10.00   |
| 5465                      | Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)).....5.00 |
| 5475                      | Multi-tool (plastic) .....2.50  |
| 5158                      | Nuts, 2.5mm nylon locking (12) .....2.50  |
| 5462                      | Rebuild kit, GTR shock (X-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks .....5.00              |
| 5463                      | Shaft, GTR shock (2) (stainless).....6.00   |
| 5463T                     | Shaft, GTR shock TiN-coated (2).....10.00   |
| 5460                      | Shocks, GTR (assembled) (2) (without springs).....32.00   |
| 5460X                     | Shocks, GTR hard-anodized, Teflon®-coated bodies with TiN shafts (assembled) (4) .....80.00   |
| 1666                      | Silicone shock oil (30 wt) .....2.00  |
| Slipper Clutch Components |   |
| 5478                      | Flat wrench, 8mm (blue-anodized aluminum).....4.00  |
| 5366                      | Input shaft, transmission (slipper shaft) .....4.00   |
| 5352                      | Rebuild kit, slipper clutch (slipper disc/ friction pads (3)/ spring washer (2)/ 2x9.8mm pin/ 5.0mm NL) .....7.50                       |
| 2554                      | Screws, 3x6mm cap-head machine (hex drive) (6) .....2.50  |
| 5351                      | Slipper pressure plate and hub (alloy) .....8.00  |
| Springs                   |   |
| 5435                      | Spring, shock (GTR) (2.6 rate yellow).....6.00  |
| 5436                      | Spring, shock (GTR) (2.9 rate white) (std. front 90mm) .....6.00  |
| 5437                      | Spring, shock (GTR) (3.2 rate orange) .....6.00   |
| 5438                      | Spring, shock (GTR) (3.5 rate green) (std. rear 90mm) .....6.00   |
| 5439                      | Spring, shock (GTR) (3.8 rate gold) .....6.00   |
| 5440                      | Spring, shock (GTR) (4.1 rate tan) .....6.00  |
| 5441                      | Spring, shock (GTR) (4.4 rate black) .....6.00  |
| 5442                      | Spring, shock (GTR) (4.9 rate silver) (std. front 120mm) .....6.00  |
| 5443                      | Spring, shock (GTR) (5.4 rate pink) .....6.00   |
| 5444                      | Spring, shock (GTR) (5.9 rate blue) (std. rear 120mm) .....6.00   |
| 5445                      | Spring, shock (GTR) (6.4 rate purple).....6.00  |
| Spur Gears & Clutch Bells |   |
| 5214                      | Clutch bell (14-tooth)/5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires 5x10x4mm ball bearings part #4609) .....12.00                   |
| 5215                      | Clutch bell (15-tooth)/5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires 5x11x4mm ball bearings part #4611).....12.00                    |
| 5216                      | Clutch bell (16-tooth)/5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires 5x11x4mm ball bearings part #4611).....12.00                    |
| 2554                      | Screws, 3x6mm cap-head machine (hex drive) (6) .....2.50  |
| 3953                      | Spur gear, 36-tooth (1.0 metric pitch).....3.00   |
| 3954                      | Spur gear, 38-tooth (1.0 metric pitch).....3.00   |
| 3955                      | Spur gear, 40-tooth (1.0 metric pitch).....3.00   |

| Steering Components |  |
|---------------------|--|
| 5355X               | Hollow ball set, aluminum Revo (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) .....29.50 |
| 5355                | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) .....4.75                                      |
| 5343                | Mount, steering arm/ steering stop (lower hinge pin retainer) .....3.50  |
| 5347                | Rod ends, Revo (large) with hollow balls (12) .....9.00  |
| 5349                | Rod ends, small, with hollow balls (6) (for Revo steering linkage) .....4.00   |
| 5345                | Servo horns (steering) (2)/ linkage, steering (3x20mm threaded rod) (2)/ rod ends (short) (4)/ hollow balls (4).....6.75                                       |
| 5345X               | Servo horns, steering and throttle (for non-Traxxas servos (Hitec, JR, KO, Airtronics)) .....10.00   |
| 5344X               | Servo saver spring, heavy duty (for use with metal-gear servos) .....2.50  |
| 2055                | Servo, high-torque .....28.00  |
| 5344                | Steering arm (upper & lower)/ servo saver/ servo saver spring/ steering arm shaft .....7.25  |
| 5338                | Toe link, 5.0mm steel (front or rear) (2) .....10.00   |
| 5338X               | Toe link, 5.0mm titanium (front or rear) (2) .....TBA  |

| Suspension Linkage |   |
|--------------------|---|
| 5355X              | Hollow ball set, aluminum Revo (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2).....29.50 |
| 5355               | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) .....4.75                                     |
| 5319X              | Push rod (aluminum) (assembled with rod ends) (2) (black) (use with #5359 progressive-3 rockers) .....10.00   |
| 5318X              | Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers) .....10.00  |
| 5319               | Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive-3 rockers) .....7.00   |
| 5318               | Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers) .....7.00  |
| 5347               | Rod ends, Revo (large) with hollow balls (12) .....9.00   |
| 5348               | Rod ends, Revo (large, for rear toe link only) (4) .....2.00  |
| 5345               | Servo horns (steering) (2)/ linkage, steering (3x20mm threaded rod) (2)/ rod ends (short) (4)/ hollow balls (4) .....6.75                                     |
| 5321               | Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2) .....4.75  |
| 5321X              | Suspension pin set, titanium (front or rear), 3x24mm(4), 3x85mm(2) ..TBA  |
| 5338               | Toe link, 5.0mm steel (front or rear) (2) .....10.00  |
| 5338X              | Toe link, 5.0mm titanium (front or rear) (2) .....TBA   |

| Team Traxxas Items |   |
|--------------------|---|
| 2514               | Decal sheet, racing sponsors .....3.00                              |
| 9950               | Official Team Traxxas racing decal set(flag logo/ 6-color).....4.50 |
| 9909               | Traxxas racing banner, red & black (3x7 feet) .....15.00            |

| Throttle & Brake Linkage |   |
|--------------------------|---|
| 5388                     | Brake cam (1)/ sleeve (1) .....4.50   |
| 3182                     | Collars, screw (2)/ grub screws, 3mm (2) .....2.50  |
| 5368                     | Linkage set, throttle & brake, Revo (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware) .....8.00 |
| 5392                     | Linkage, shift, Revo (includes: ball collar, spring, ball cup, servo horn, linkage wire) .....3.50  |
| 5345                     | Servo horns (steering) (2)/ linkage, steering (3x20mm threaded rod) (2)/ rod ends (short) (4)/ hollow balls (4) .....6.75   |
| 5345X                    | Servo horns, steering and throttle (for non-Traxxas servos (Hitec, JR, KO, Airtronics)) .....10.00  |
| 3966                     | Shoulder screws, 3x10mm (6) (with threadlock).....3.50  |
| 4046                     | Spring, throttle return (2) .....2.50   |

| Tires & Wheels |  |
|----------------|--|
| 5350           | Hex wheel hub, clamp on (4) .....TBA   |
| 4954           | Hex wheel hubs (2)/ axle pins (2.5x12mm) (2).....2.50  |
| 4954X          | Hex wheel hubs, 6061-T6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4) .....20.00   |
| 4147X          | Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4) .....6.00  |
| 5147           | Nuts, 5mm flanged nylon locking (steel) (8) .....3.25  |
| 4955           | Pins, axle (2.5x12mm) (4).....1.00   |
| 5374           | Tires & wheels, assembled, glued (Gemini chrome wheels, Talon tires, foam inserts) (2) (also fits Maxx series).....39.00       |
| 5471           | Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2) .....30.00                  |
| 5470           | Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ 3-piece contoured inserts .....35.00 |
| 5370           | Tires, Talon 3.8" (2)/ foam inserts (2) .....30.00   |
| 5372           | Wheels, Gemini 3.8" (chrome) (2) (also fits Maxx series) .....11.00  |
| 5373           | Wheels, Hurricane 3.8" (chrome) (2) (also fits Maxx series).....11.00  |

Continued

## Page 4 Revo Parts List

### Transmission Components

|              |   |              |
|--------------|---|--------------|
| 5119         | Ball bearings, blue rubber shield (10x15x4mm) (2)   | 7.00         |
| 5116         | Ball bearings, blue rubber shield (5x11x4mm) (2)  | 3.50         |
| 5117         | Ball bearings, blue rubber shield (6x12x4mm) (2)  | 4.00         |
| 5388         | Brake cam (1)/ sleeve (1)   | 4.50         |
| <b>5394X</b> | <b>Forward only conversion kit (eliminates reverse)</b>   | <b>12.50</b> |
| <b>5383</b>  | <b>Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)</b>  | <b>7.50</b>  |
| 5385         | Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)  | 7.50         |
| <b>5384</b>  | <b>Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)</b>   | <b>7.50</b>  |
| 5386         | Gear, 1st speed, 43T  | 3.00         |
| 5377         | Gear, idler/ idler gear support/ bearing (pressed in)   | 6.00         |
| 5391         | Gearbox halves (front & rear)/ rubber access plug/ shift detent ball/ spring/ 4mm GS/ shift shaft seal, glued   | 10.00        |
| 5366         | Input shaft, transmission (slipper shaft)   | 4.00         |
| 5368         | Linkage set, throttle & brake, Revo (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware) | 8.00         |
| 5392         | Linkage, shift, Revo (includes: ball collar, spring, ball cup, servo horn, linkage wire)  | 3.50         |
| 5398         | OptiDrive electronic shift module   | 30.00        |
| 5397         | OptiDrive sensor assembly/ 2.5x6mm CS (2)   | 8.00         |
| 5395         | Output gears, forward & reverse/ drive dog carrier  | 9.00         |
| 5369         | Output shaft, transmission  | 7.50         |
| 5390         | Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)  | 14.00        |
| 5396         | Primary gears, forward and reverse/ screw pin (1)   | 6.00         |
| 5393         | Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm TW  | 26.00        |
| 5389         | Shift fork/ shaft/ seal   | 6.00         |
| 3982         | Washer, Teflon® 6x8x0.5 (10)  | 1.25         |

### Turnbuckles & Threaded rods

|              |  |              |
|--------------|--|--------------|
| 5477         | Flat wrench, 5mm (blue-anodized aluminum)  | 4.00         |
| <b>5319X</b> | <b>Push rod (aluminum) (assembled with rod ends) (2) (black) (use with #5359 progressive-3 rockers)</b>        | <b>10.00</b> |
| <b>5318X</b> | <b>Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)</b> | <b>10.00</b> |
| <b>5319</b>  | <b>Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive-3 rockers)</b>           | <b>7.00</b>  |
| 5318         | Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)           | 7.00         |
| 5338         | Toe link, 5.0mm steel (front or rear) (2)  | 10.00        |
| <b>5338X</b> | <b>Toe link, 5.0mm titanium (front or rear) (2)</b>  | <b>TBA</b>   |

### Two-Speed Components

|              |  |             |
|--------------|--|-------------|
| 5119         | Ball bearings, blue rubber shield (10x15x4mm) (2)  | 7.00        |
| 5116         | Ball bearings, blue rubber shield (5x11x4mm) (2)   | 3.50        |
| 5117         | Ball bearings, blue rubber shield (6x12x4mm) (2)   | 4.00        |
| <b>5383</b>  | <b>Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)</b> | <b>7.50</b> |
| 5385         | Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)     | 7.50        |
| <b>5384</b>  | <b>Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)</b>  | <b>7.50</b> |
| 5386         | Gear, 1st speed, 43T   | 3.00        |
| 5390         | Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)                                     | 14.00       |
| 5396         | Primary gears, forward and reverse/ screw pin (1)  | 6.00        |
| 5393         | Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm TW                       | 26.00       |
| <b>5393X</b> | <b>Single speed conversion kit (eliminates 2-speed, reduces weight)</b>                  | <b>TBA</b>  |

See Radio System parts list for electronic components.

If you have questions or need technical assistance, call Traxxas at:

# 1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information,  
call 972-265-8000, or fax to 972-265-8011  
e-mail Traxxas at support@Traxxas.com

[WWW.TRAXXAS.COM](http://WWW.TRAXXAS.COM)

Prices are in US Dollars